

U.S.S.N. 09/658,390

Filed: September 8, 2000

CLEAN VERSION OF AMENDMENTS PURSUANT TO 37 C.F.R. § 1.121

Clean Version of Amended Claims
Pursuant to 37 C.F.R. § 1.121(c)(1)(ii)

- Sub C1
38. (Amended) A composition for forming a water-absorbing, high modulus polymeric material comprising at least one macromer and at least one monomer, wherein the macromer comprises hydrophobic and hydrophilic regions and has a molecular weight of 500 to 200,000 Da, wherein the monomer contains at least one vinyl group and has a molecular weight of less than 1,000 Da, and wherein the monomer comprises at least 30% (wt/wt) of the composition, and wherein the composition is capable of forming a gel upon polymerization.
39. The composition of claim 38, wherein the composition is in the form of a fluid or paste.
40. The composition of claim 38, further comprising water.
41. The composition of claim 38, wherein the macromer is polyethyleneglycol-trimethylene carbonate-diacrylate.
42. The composition of claim 38, wherein the monomer is selected from the group consisting of vinyl caprolactam, methyl acrylate, methyl methacrylate, styrene, N-vinyl pyrrolidone, and N-vinyl imidazole, diacetone acrylamide, vinyl oxyethanol, 2-acrylamido-2-methylpropane, and methyl acryloyl lactate and mixtures and derivatives thereof.
43. The composition of claim 38, wherein the macromer comprises up to 50% (wt/wt) of the formulation and the monomer comprises at least 45% (wt/wt) of the formulation.

ATLJ #543173v1

1

FTI 126
077637/00017

U.S.S.N. 09/658,390

Filed: September 8, 2000

CLEAN VERSION OF AMENDMENTS PURSUANT TO 37 C.F.R. § 1.121

44. The composition of claim 43, further comprising less than 40% (wt/wt) water.

45. The composition of claim 41, wherein the monomer is diacetone acrylamide.

46. The composition of claim 38,

wherein upon copolymerization of the macromer and monomer, a polymeric material is formed, wherein the material comprises hydrophobic and hydrophilic regions and is characterized as having the following properties:

a) absorbing water to less than about 300% of its initial weight, on equilibration with water or bodily liquids;

b) having a solids content of at least about 20% after equilibration in water or bodily liquids;

c) having an elongation to failure of at least about 25% hydration to equilibrium; and

d) being sufficiently biocompatible to permit the treatment or repair of biological tissue, or used as an implant in a patient.

47. The composition of claim 38, wherein the macromer has the formula AHK, wherein:

A is a residue of an ethylenically unsaturated acid that is linked to H by a bond selected from ester and amide;

H is the residue of a hydroxy carboxylic acid, a carbonic acid, or an amino acid, which is linked to K by an ester bond; and

K is the residue of an alcohol containing at least one carbon atom.

U.S.S.N. 09/658,390

Filed: September 8, 2000

CLEAN VERSION OF AMENDMENTS PURSUANT TO 37 C.F.R. § 1.121

48. The composition of claim 47 wherein

A is selected from the group consisting of acrylic, methacrylic crotonic, isocrotonic, tiglic, angelic, and cinnamic acids; maleic, fumaric, citraconic, mesaconic, itaconic, citric and isocitric acids, and monoesters and monoamides thereof, and mixtures thereof;

Sub C Contd

H is selected from the group consisting of glycolic acid, lactic acid, 3-hydroxy-propanoic acid, a hydroxybutyric acid, a hydroxypentanoic acid, hydroxy trimethylene carbonic acid, hydroxy ethylene carbonic acid, hydroxy propylene carbonic acid, hydrolyzed dioxanone, a hydroxyhexanoic acid, an alpha, beta or gamma amino acid of eight carbons or fewer, and mixtures thereof; and

K is an alcohol containing from 1 to about 10 carbon atoms and at least one hydroxyl group, or a mixture of such alcohols.

49. The composition of claim 48 wherein A is selected from the group consisting of acrylic acid and methacrylic acid.